ELSEVIER

Neuroscience Letters 277 (1999) 203–206

Neuroscience Letters

Author Index to Volume 277

Abe, K., see Wang, J.M., 17
Agnati, L.F., see Ferrari, R., 169
Ahveninen, J., Tiitinen, H., Hirvonen, J., Pekkonen, E., Huttunen, J., Kaakkola, S., Jääskeläinen, I.P., Scopolamine augments transient auditory 40-Hz magnetic response in humans, 115
Aihara, N., see Ishida, K., 149
Aizu, Y., see Hu, J., 65
Ajmani, P.S., Tang, F., Krishnaswami, S., Meyer, E.M., Sumners, C., Hughes, J.A., Enhanced transgene expression in rat brain cell cultures with a disulfide-containing cationic lipid, 141
Allen, D.D., Smith, Q.R., Blood–brain barrier choline transport in the senescent rat, 198
Andreadis, A., see Lilius, L., 29
Arai, H., see Bürger née Buch, K., 21
Axelman, K., see Lilius, L., 29

Backhovens, H., see Roks, G., 137
Bales, K.R., see Dodart, J.-C., 49
Barrier, L., see Fleuranceau-Morel, P., 91
Basile, A.M., see Panza, F., 53
Basun, H., see Lilius, L., 29
Bay, B.-H., Lee, Y.-K., Tan, B.K.-H., Ling, E.-A., Lipid peroxidative stress and antioxidative enzymes in brains of milk-supplemented rats, 127
Beisteiner, R., Erdler, M., Mayer, D., Gartus, A., Edward, V., Kaindl, T., Golaszewski, S., Lindinger, G., Deecke, L., A marker for differentiation of capabilities for processing of musical harmonies as detected by magnetoencephalography in musicians, 37
Bland, S.T., Gonzales, R.A., Schallert, T., Movement-related glutamate levels in rat hippocampus, striatum, and sensorimotor cortex, 119
Boone, D., see Hawrylak, N., 57
Branca, D., see Oliveri, R.L., 83
Bürger née Buch, K., Padberg, F., Nolde, T., Teipel, S.J., Stübner, S., Haslinger, A., Schwarz, M.J., Sunderland, T., Arai, H., Rapoport, S.I., Möller, H.-J., Hampel, H. Cerebrospinal fluid tau protein shows a better discrimination in young old (<70 years) than in old old patients with Alzheimer's disease compared with controls, 21
Burnet, P.W.J., Sharp, T., LeCorre, S.M., Harrison, P.J., Expression of 5-HT receptors and the 5-HT transporter in rat brain after electroconvulsive shock, 79

Capurso, A., see Panza, F., 53
Capurso, C., see Panza, F., 53
Caracciolo, M., see Oliveri, R.L., 83
Casto, R.M., see Yeiser, E.C., 75
Cerf, B., see Faurion, A., 189
Chan, P.H., see Chang, Y.-Y., 61
Chang, Y.-Y., Fujimura, M., Morita-Fujimura, Y., Kim, G.W., Huang, C.-Y., Wu, H.-S., Kawase, M., Copin, J.-C., Chan, P.H., Neuroprotective effects of an antioxidant in cortical cerebral ischemia: prevention of early reduction of the apurinic/apyrimidinic endonuclease DNA repair enzyme, 61
Chanoine, C., see Nicolas, N., 107
Cheng, J.-T., see Tong, Y.-C., 173
Chin, W.-T., see Tong, Y.-C., 173
Cittadella, R., see Oliveri, R.L., 83
Colacicco, A.M., see Panza, F., 53
Copin, J.-C., see Chang, Y.-Y., 61
Cruts, M., see Roks, G., 137

Danion, F., Duarte, M., Grosjean, M., Fitts' law in human standing: the effect of scaling, 131
Deecke, L., see Beisteiner, R., 37
Del Parigi, A., see Panza, F., 53
Dermaut, B., see Roks, G., 137
Dietrich, G., see Kerlirzin, Y., 41
Dixon, J.S., Jen, P.Y.P., Gosling, J.A., Tyrosine hydroxylase and vesicular acetylcholine transporter are coexpressed in a high proportion of intramural neurons of the human neonatal and child urinary bladder, 157
Dodart, J.-C., Mathis, C., Bales, K.R., Paul, S.M., Ungerer, A., Early regional cerebral glucose hypometabolism in transgenic mice overexpressing the V717F β-amyloid precursor protein, 49
Duarte, M., see Danion, F., 131

Ebner, K., see Singewald, N., 68
Edward, V., see Beisteiner, R., 37
Engelmann, M., see Singewald, N., 68
Erdler, M., see Beisteiner, R., 37

Fadale, R., see Steuer, H., 165
Fan, Q.-W., see Kawamura, Y., 185
Fauconneau, B., see Fleuranceau-Morel, P., 91
Faurion, A., Cerf, B., Van De Moortele, P.-F., Lobel, E., Mac Leod, P., Le Bihan, D., Human taste cortical areas studied with functional magnetic resonance imaging: evidence of functional lateralization related to handedness, 189
Feenstra, M.G.P., see Ihalainen, J.A., 71
Ferrari, R., Frasoldati, A., Leo, G., Torri, C., Zini, I., Agnati, L.F., Zoli, M., Changes in nicotinic acetylcholine receptor subunit mRNAs and nicotinic binding in spontaneously hypertensive stroke prone rats, 169
Fleuranceau-Morel, P., Barrier, L., Fauconneau, B., Piriou, A., Huguet, F., Origin of 4-hydroxynonenal incubation-induced inhibition of dopamine transporter and Na^+/K^+ adenosine triphosphate in rat striatal synaptosomes, 91
Forsell, C., see Lilius, L., 29
Frasoldati, A., see Ferrari, R., 169
Fratiglioni, L., see Lilius, L., 29

PII: S0304-3940(99)00919-2

Froelich Fabre, S., see Lilius, L., 29
Fujimura, M., see Chang, Y.-Y., 61
Fujiyama, R., see Miyamoto, T., 13
Furlong, R.A., Ho, L.W., Rubinsztein, J.S., Michael, A., Walsh, C., Paykel, E.S., Rubinsztein, D.C., A rare coding variant within the *wolframin* gene in bipolar and unipolar affective disorder cases, 123

Gallien, C.L., see Nicolas, N., 107
Gambardella, A., see Oliveri, R.L., 83
Gartus, A., see Beisteiner, R., 37
Giffard, R.G., see Xu, L., 193
Golaszewski, S., see Beisteiner, R., 37
Gonzales, R.A., see Bland, S.T., 119
Gosling, J.A., see Dixon, J.S., 157
Gregg, R.G., see Hogan, K., 111
Grierson, A.J., Mootoosamy, R.C., Miller, C.C.J., Polyglutamine repeat length influences human androgen receptor/c-Jun mediated transcription, 9
Grosjean, M., see Danion, F., 131

Hampel, H. see Bürger née Buch, K., 21
Han, S.H., see Kim, K.W., 145
Harrison, P.J., see Burnet, P.W.J., 79
Haslinger, A see Bürger née Buch, K., 21.,
Hawrylak, N., Boone, D., Salm, A.K., The surface density of glial fibrillary acidic protein immunopositive astrocytic processes in the rat supraoptic nucleus is reversibly altered by dehydration and rehydration, 57
Hayashi, H., see Kawamura, Y., 185
Hayashi, T., see Wang, J.M., 17
Heiland, S., see Stippich, C., 25
Hellström, F., Roatta, S., Johansson, H., Passatore, M., A technique for estimating activity in whole nerve trunks applied to the cervical sympathetic trunk, in the rabbit, 95
Hempel, E., see Stippich, C., 25
Heutink, P., see Roks, G., 137
Hida, H., see Ishida, K., 149
Hill, E.S., Latalladi, G., Kuffler, D.P., Dissociated adult *Rana pipiens* motoneuron growth cones turn up concentration gradients of denervated peripheral nerve-released factors, 87
Hirano, T., see Yamakawa, Y., 103
Hirvonen, J., see Ahveninen, J., 115
Ho, L.W., see Furlong, R.A., 123
Hofman, A., see Roks, G., 137
Hofmann, R., see Stippich, C., 25
Hogan, K., Gregg, R.G., Powers, P.A., Structure and alternative splicing of the gene encoding the human β_1 subunit of voltage dependent calcium channels, 111
Hollmann, M., see Thalhammer, A., 161
Hu, J., Miyatake, F., Aizu, Y., Nakagawa, H., Nakamura, S., Tamaoka, A., Takahash, R., Urakami, K., Shoji, M., Angiotensin-converting enzyme genotype is associated with Alzheimer disease in the Japanese population, 65
Huang, C.-Y., see Chang, Y.-Y., 61
Hughes, J.A., see Ajmani, P.S., 141
Huguet, F., see Fleuranceau-Morel, P., 91
Huston, J.P., see Spieler, R.E., 5
Huttunen, J., see Ahveninen, J., 115

Ida, K., see Ishida, K., 149
Igarashi, K., see Kaisho, Y., 181
Ihalainen, J.A., Riekkinen Jr., P., Feenstra, M.G.P., Comparison of dopamine and noradrenaline release in mouse prefrontal cortex, striatum and hippocampus using microdialysis, 71
Ishida, K., Ungusparkorn, C., Hida, H., Aihara, N., Ida, K., Nishino, H., Argyrophilic dark neurons distribute with a different pattern in the brain after over hours treadmill running and swimming in the rat, 149
Ishikawa, A., Kubota, Y., Murayama, T., Nomura, Y., Cell death by 1-chloro-2,4-dinitrobenzene, an inhibitor of thioredoxin reductase and its dual regulation by nitric oxide in rats, 99

Jääskeläinen, I.P., see Ahveninen, J., 115
Jansen, O., see Stippich, C., 25
Jen, P.Y.P., see Dixon, J.S., 157
Jensen, M., see Johnston, J.A., 33
Jhoo, J.H., see Kim, K.W., 145
Johansson, H., see Hellström, F., 95
Johnston, J.A., Jensen, M., Lannfelt, L., Walker, B., Williams, C.H., Inhibition of prolylendopeptidase does not affect γ-secretase processing of amyloid precursor protein in a human neuroblastoma cell line, 33
Julliams, A., see Roks, G., 137

Kaakkola, S., see Ahveninen, J., 115
Kaindl, T., see Beisteiner, R., 37
Kaisho, Y., Ohta, H., Miyamoto, M., Igarashi, K., Nerve growth factor promoter driven neurotrophin-3 overexpression in the mouse and the protective effect of transgene on age-related behavioral deficits, 181
Kapfer, D., see Stippich, C., 25
Karasawa, N., see Seto-Ohshima, A., 177
Karkanias, N.B., Papke, R.L., Lithium modulates desensitization of the glutamate receptor subtype GluR3 in *Xenopus* oocytes, 153
Katoh, M., see Seto-Ohshima, A., 177
Kawamura, N., see Seto-Ohshima, A., 177
Kawamura, Y., Fan, Q.-W., Hayashi, H., Michikawa, M., Yanagisawa, K., Komano, H., Expression of the mRNA for two isoforms of neural plakophilin-related arm-repeat protein/δ-catenin in rodent neurons and glial cells, 185
Kawase, M., see Chang, Y.-Y., 61
Kerlirzin, Y., Pozzo, T., Dietrich, G., Vieilledent, S., Effects of kinematics constraints on hand trajectory during whole-body lifting tasks, 41
Kim, G.W., see Chang, Y.-Y., 61
Kim, K.W., Jhoo, J.H., Lee, K.U., Lee, D.Y., Lee, J.H., Youn, J.Y., Lee, B.J., Han, S.H., Woo, J.I., Association between apolipoprotein E polymorphism and Alzheimer's disease in Koreans, 145
Kishikawa, M., see Seto-Ohshima, A., 177
Kitajima, S., see Seto-Ohshima, A., 177
Komano, H., see Kawamura, Y., 185
Krishnaswami, S., see Ajmani, P.S., 141
Kubota, Y., see Ishikawa, A., 99
Kuffler, D.P., see Hill, E.S., 87

Landgraf, R., see Singewald, N., 68
Lannfelt, L., see Johnston, J.A., 33
Lannfelt, L., see Lilius, L., 29
Lappi, D.A., see Wiley, R.G., 1
Latalladi, G., see Hill, E.S., 87
Le Bihan, D., see Faurion, A., 189
LeCorre, S.M., see Burnet, P.W.J., 79
Lee, B.J., see Kim, K.W., 145
Lee, D.Y., see Kim, K.W., 145
Lee, J.E., see Xu, L., 193

Lee, J.H., see Kim, K.W., 145
Lee, K.U., see Kim, K.W., 145
Lee, Y.-K., see Bay, B.-H., 127
Leo, G., see Ferrari, R., 169
Lerant, A.A., see Yeiser, E.C., 75
Levenson, C.W., see Yeiser, E.C., 75
Lilius, L., Froelich Fabre, S., Basun, H., Forsell, C., Axelman, K., Mattila, K., Andreadis, A., Viitanen, M., Winblad, B., Fratiglioni, L., Lannfelt, L., Tau gene polymorphisms and apolipoprotein E ε4 may interact to increase risk for Alzheimer's disease, 29
Lindinger, G., see Beisteiner, R., 37
Ling, E.-A., see Bay, B.-H., 127
Lobel, E., see Faurion, A., 189

Mac Leod, P., see Faurion, A., 189
Manna, I., see Oliveri, R.L., 83
Mastroianni, F., see Panza, F., 53
Mathis, C., see Dodart, J.-C., 49
Mattila, K., see Lilius, L., 29
Mattioli, R., see Spieler, R.E., 5
Mayer, D., see Beisteiner, R., 37
Meyer, E.M., see Ajmani, P.S., 141
Mezzani, B., see Nacmias, B., 134
Michael, A., see Furlong, R.A., 123
Michikawa, M., see Kawamura, Y., 185
Miller, C.C.J., see Grierson, A.J., 9
Mira, J.-C., see Nicolas, N., 107
Miyamoto, M., see Kaisho, Y., 181
Miyamoto, T., Fujiyama, R., Okada, Y., Sato, T., Strain difference in amiloride-sensitivity of salt-induced responses in mouse non-dissociated taste cells, 13
Miyatake, F., see Hu, J., 65
Möller, H.-J., see Bürger née Buch, K., 21
Mootoosamy, R.C., see Grierson, A.J., 9
Morita-Fujimura, Y., see Chang, Y.-Y., 61
Morth, T., see Thalhammer, A., 161
Müller, E., see Steuer, H., 165
Müller, H.-W., see Steuer, H., 165
Murashima, Y.L., see Seto-Ohshima, A., 177
Murayama, T., see Ishikawa, A., 99

Nacmias, B., Ricca, V., Tedde, A., Mezzani, B., Rotella, C.M., Sorbi, S., 5-HT_{2A} receptor gene polymorphisms in anorexia nervosa and bulimia nervosa, 134
Nakagawa, H., see Hu, J., 65
Nakamura, S., see Hu, J., 65
Nelson, C.A., see Spieler, R.E., 5
Nicolas, N., Mira, J.-C., Gallien, C.L., Chanoine, C., Long-term denervation modulates differentially the accumulation of myogenin and MRF4 mRNA in adult *Xenopus* muscle, 107
Nicoletti, G., see Oliveri, R.L., 83
Nishino, H., see Ishida, K., 149
Noble, J., see Yau, J.L.W., 45
Nolde, T., see Bürger née Buch, K., 21
Nomura, Y., see Ishikawa, A., 99
Noya, R., see Panza, F., 53

Oh-Ishi, M., see Seto-Ohshima, A., 177
Ohta, H., see Kaisho, Y., 181
Okada, Y., see Miyamoto, T., 13
Oliveri, R.L., Nicoletti, G., Cittadella, R., Manna, I., Branca, D., Zappia, M., Gambardella, A., Caracciolo, M., Quattrone, A., Apolipoprotein E polymorphisms and Parkinson's disease, 83
Onozuka, M., see Seto-Ohshima, A., 177

Padberg, F., see Bürger née Buch, K., 21
Panza, F., Solfrizzi, V., Torres, F., Mastroianni, F., Del Parigi, A., Colacicco, A.M., Basile, A.M., Capurso, C., Noya, R., Capurso, A., Decreased frequency of apolipoprotein E ε4 allele from Northern to Southern Europe in Alzheimer's disease patients and centenarians, 53
Papke, R.L., see Karkanias, N.B., 153
Passatore, M., see Hellström, F., 95
Paul, S.M., see Dodart, J.-C., 49
Paykel, E.S., see Furlong, R.A., 123
Pekkonen, E., see Ahveninen, J., 115
Piriou, A., see Fleuranceau-Morel, P., 91
Planck, H., see Steuer, H., 165
Powers, P.A., see Hogan, K., 111
Pozzo, T., see Kerlirzin, Y., 41

Quattrone, A., see Oliveri, R.L., 83

Rapoport, S.I., see Bürger née Buch, K., 21
Ricca, V., see Nacmias, B., 134
Riekkinen Jr., P., see Ihalainen, J.A., 71
Roatta, S., see Hellström, F., 95
Roks, G., Dermaut, B., Heutink, P., Julliams, A., Backhovens, H., Van de Broeck, M., Serneels, S., Hofman, A., Van Broeckhoven, C., van Duijn, C.M., Cruts, M., Mutation screening of the tau gene in patients with early-onset Alzheimer's disease, 137
Rotella, C.M., see Nacmias, B., 134
Rubinsztein, D.C., see Furlong, R.A., 123
Rubinsztein, J.S., see Furlong, R.A., 123

Sakai, K., see Wang, J.M., 17
Salm, A.K., see Hawrylak, N., 57
Sartor, K., see Stippich, C., 25
Sato, T., see Miyamoto, T., 13
Schallert, T., see Bland, S.T., 119
Schlosshauer, B., see Steuer, H., 165
Schwarz, M.J., see Bürger née Buch, K., 21
Seckl, J.R., see Yau, J.L.W., 45
Serneels, S., see Roks, G., 137
Seto-Ohshima, A., Katoh, M., Yokota, S., Karasawa, N., Kawamura, N., Kitajima, S., Tsuzuki, M., Yoshida, K., Oh-Ishi, M., Murashima, Y.L., Onozuka, M., Kishikawa, M., Two types of aggregate in the cerebral cortex of a seizure-sensitive strain of the Mongolian gerbil, 177
Sharp, T., see Burnet, P.W.J., 79
Shiro, Y., see Wang, J.M., 17
Shoji, M., see Hu, J., 65
Singewald, N., Ebner, K., Landgraf, R., Wotjak, C.T., Engelmann, M., Vasopressin selectively modulates the release of taurine within the septum of the rat brain, 68
Smith, Q.R., see Allen, D.D., 198
Solfrizzi, V., see Panza, F., 53
Sorbi, S., see Nacmias, B., 134
Spieler, R.E., Nelson, C.A., Huston, J.P., Mattioli, R., Post-trial administration of H_1 histamine receptor blocker improves appetitive reversal learning and memory in goldfish, *Carassius auratus*, 5
Steuer, H., Fadale, R., Müller, E., Müller, H.-W., Planck, H., Schlosshauer,

B., Biohybride nerve guide for regeneration: degradable polylactide fibers coated with rat Schwann cells, 165
Stippich, C., Hofmann, R., Kapfer, D., Hempel, E., Heiland, S., Jansen, O., Sartor, K., Somatotopic mapping of the human primary somatosensory cortex by fully automated tactile stimulation using functional magnetic resonance imaging, 25
Strutz, N., see Thalhammer, A., 161
Stübner, S., see Bürger née Buch, K., 21
Sumners, C., see Ajmani, P.S., 141
Sunderland, T., see Bürger née Buch, K., 21

Takahash, R., see Hu, J., 65
Tamaoka, A., see Hu, J., 65
Tan, B.K.-H., see Bay, B.-H., 127
Tang, F., see Ajmani, P.S., 141
Tedde, A., see Nacmias, B., 134
Teipel, S.J., see Bürger née Buch, K., 21
Thalhammer, A., Morth, T., Strutz, N., Hollmann, M., A desensitization-inhibiting mutation in the glutamate binding site of rat α-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptor subunits is dominant in heteromultimeric complexes, 161
Tiitinen, H., see Ahveninen, J., 115
Tong, Y.-C., Chin, W.-T., Cheng, J.-T., Alterations in urinary bladder M_2-muscarinic receptor protein and mRNA in 2-week streptozotocin-induced diabetic rats, 173
Torres, F., see Panza, F., 53
Torri, C., see Ferrari, R., 169
Tsuzuki, M., see Seto-Ohshima, A., 177

Ungerer, A., see Dodart, J.-C., 49
Ungusparkorn, C., see Ishida, K., 149
Urakami, K., see Hu, J., 65

Van Broeckhoven, C., see Roks, G., 137
Van de Broeck, M., see Roks, G., 137
Van De Moortele, P.-F., see Faurion, A., 189
van Duijn, C.M., see Roks, G., 137
Vieilledent, S., see Kerlirzin, Y., 41
Viitanen, M., see Lilius, L., 29

Walker, B., see Johnston, J.A., 33
Walsh, C., see Furlong, R.A., 123
Wang, J.M., Hayashi, T., Zhang, W.R., Sakai, K., Shiro, Y., Abe, K., Insulin-like growth factor-1 affects expressions of cyclin-dependent kinase 5 and its activator p35 in reperfused rat brain, 17
Wiley, R.G., Lappi, D.A., Targeting neurokinin-1 receptor-expressing neurons with [Sar^9,$Met(O_2)^{11}$]substance P-saporin, 1
Williams, C.H., see Johnston, J.A., 33
Winblad, B., see Lilius, L., 29
Woo, J.I., see Kim, K.W., 145
Wotjak, C.T., see Singewald, N., 68
Wu, H.-S., see Chang, Y.-Y., 61

Xu, L., Lee, J.E., Giffard, R.G., Overexpression of bcl-2, bcl-x_L or hsp70 in murine cortical astrocytes reduces injury of co-cultured neurons, 193

Yamakawa, Y., Hirano, T., Contribution of mGluR1 to the basal activity of a mouse cerebellar Purkinje neuron, 103
Yanagisawa, K., see Kawamura, Y., 185
Yau, J.L.W. Noble, J., Seckl, J.R., Continuous blockade of brain mineralocorticoid receptors impairs spatial learning in rats, 45
Yeiser, E.C., Lerant, A.A., Casto, R.M., Levenson, C.W., Free zinc increases at the site of injury after cortical stab wounds in mature but not immature rat brain, 75
Yokota, S., see Seto-Ohshima, A., 177
Yoshida, K., see Seto-Ohshima, A., 177
Youn, J.Y., see Kim, K.W., 145

Zappia, M., see Oliveri, R.L., 83
Zhang, W.R., see Wang, J.M., 17
Zini, I., see Ferrari, R., 169
Zoli, M., see Ferrari, R., 169